

<b>Municipal Solid Waste Landfills Subject To Emission Guidelines in Subpart Cf</b>					
<b>Facility Name</b>	<b>County</b>	<b>Design Capacity (Million Mg)</b>	<b>2015 Estimated NMOC Emissions (Uncontrolled)</b>	<b>Tier</b>	<b>Year Opened</b>
Cherry Island (NSWMC-2)	New Castle	[42.263] [9.452]	47.15 Mg/year	1	10/85
Central Solid Waste Management Center (CSWMC)	Kent	[7.904] [4.606]	28.85 Mg/year	1	10/80
Southern Solid Waste Management Center (SSWMC)	Sussex	[6.518] [5.109]	12.83 Mg/year	1	10/84

Note that pursuant to Section 28 of 7 **DE Admin. Code** 1120 each of these three existing municipal solid waste landfills is currently subject to the requirements of 40 CFR Part 60 Subpart WWW.

#### **V. Emission Standards**

The emission standards for municipal solid waste landfills are those stated in Section 60.762 of Section 30. These standards include design capacity cutoff for applicability, NMOC emission limits, collection system requirements, types of control device requirements, and length of time of required control for municipal solid waste landfills. The test methods and procedures for determining compliance with the emission standards are those stated in Section 60.764 of Section 30.

The emission standards apply to any municipal solid waste landfill, open or closed, that commenced construction, reconstruction, or modification after July 17, 2014 or that has accepted waste after November 8, 1987 or that has additional capacity available to accept waste.

#### **VI. Process for Review of Design Plans**

For a landfill subject to the emission standards, the owner or operator must submit to the Department a Collection and Control Design Plan. This design plan must meet the requirements stated in Section 30.

As provided for in Section 30, the Department will review each submitted design plan and will, in writing, either approve it, disapprove it, or request that additional information be submitted.

#### **VII. Compliance Schedules**

The table below specifies the compliance schedule for existing municipal solid waste landfills in the State of Delaware.

<b>Compliance Schedule for Existing Municipal Solid Waste Landfills</b>	
State Plan Submittal to EPA	May 30, 2017
EPA approval of State Plan	Within 4 months of submittal to EPA
Final emission guideline compliance date	For NSWMC-2, CSWMC, and SSWMC, to be completed as expeditiously as possible but no later than 180 days from the effective date of Section 30